



With shrinking expenditures and tightening budgets, law enforcement and military organizations worldwide are straining to get the most bang for their buck. At Dynamic Entry we understand these fiscal constraints and strive to provide the most effective and cost-efficient manual entry tools available anywhere. Strategic alliances with our vendors have allowed us to keep our price increases to a minimum year after year while still providing innovation and breaching tools that meet or exceed our own rigid standards.

This year we are introducing the Mini Breaching Sledge which features a redesigned head with friction ridges on the bill for added stability during breaching operations while still using micro-metals for reduced spalling. This slimmer and more compact design provides overall weight reduction while increasing the effectiveness of the tool. Continuing our objective of lighter, faster, and stronger, this year also sees the introduction of the Mini Dynamic Duo, a more compact version of our very well-received Dynamic Duo.

With Dynamic Entry, *Nothing Shall Stand in your Way!*®

Check out videos online for all Dynamic Entry tools! youtube.com/bpggear



COLLAPSIBLE TOOL SERIES

Combining years of research and development with input from operators in the field, our groundbreaking Collapsible Tool Series exceeds our legendary durability standards. At the heart of this revolutionary design are the following features:

- Compact collapsible design for transport and operations in close quarters
- Extended shafts provide extra leverage for more strike power, pry leverage, and breaching force
- Epoxied fiberglass core surrounded by two interlocking stainless steel shafts
- Dual-locking mechanism secures shafts when extended
- Form-fitting handgrip provides secure grip in extreme weather conditions and protects locking mechanism from dirt or debris

BLACKHAWK!™ DYNAMIC ENTRY® COLLAPSIBLE BREACHER

The Collapsible Breacher features our tempered stainless steel wedge with counter-angled friction ridges that are specifically designed to grip breaching surfaces securely. These counter-angled friction ridges increase stability and reduce tool slippage during breaching operations.

Specifications:

- Weight: 7.4 lbs.
- Length collapsed: 16.75"
- Length extended: 24.5"

DE-CB



BLACKHAWK!™ DYNAMIC ENTRY® COLLAPSIBLE MINI THUNDERSLEDGE™

Featuring a 6-lb. drop-forged head, the Collapsible Mini Thunder Sledge is custom-designed to deliver exceptional striking force when extended.

Specifications:

- Weight: 10.2 lbs.
- Length collapsed: 14.5"
- Length extended: 22"

DE-CMTS



BLACKHAWK!™ DYNAMIC ENTRY® COLLAPSIBLE STAINLESS HALLAGAN TOOL

The Collapsible Stainless Hallagan Tool has the added benefit of a horn for stubborn prying chores. It also features counter-angled friction ridges for tool stability and slippage prevention.

Specifications:

- Weight: 7.7 lbs.
- Length collapsed: 16.75"
- Length extended: 24.5"

DE-CSHT



**BLACKHAWK!™ DYNAMIC ENTRY®
THE SMALL PRY™**

The Small Pry, a revolutionary breaching tool combining specialized prying capabilities with a readily available cutting edge, is a collaborative effort between BLACKHAWK!s Dynamic Entry® and Knife design teams. The Small Pry is ideal for:

- Prying interior doors and drawers
- Window "break and rake" operations
- Tactical cutting chores such as removing screens and chopping through drywall

Specifications:

- Blade length: 4.390"/112 mm
- Overall length: 14.460"/367 mm
- Blade material: D-2 tool steel
- Blade finish: Corrosion-resistant black epoxy powder coating
- Edge type: Plain edge only
- Handle material: Checkered, over-molded thermoplastic rubber
- Sheath: Injection-molded nylon
- Weight: 1.5 lbs. with sheath



SMALL PRY SHEATH
Nylon Small Pry Sheath
5100946BK



Slot for natural gas cutoff

youtube.com/vbpggear



EMERGENCY RESCUE SMALL PRY

Specifications:

- Slot for natural gas valve cutoff – 1.5"L x .6"W
- Comes with an adjustable nylon sheath that can fit belts up to 4" wide
- Handle material: Checkered, over-molded thermoplastic high-visibility Yellow rubber

15DE00YL Yellow

SMALL PRY BLACK

The Small Pry comes complete with an injection-molded nylon sheath that is S.T.R.I.K.E.®/MOLLE compatible and can also be fitted to a mounting plate for use in Dynamic Entry's popular tactical backpack kits

15DE00BK-STRIKE = Plain, with S.T.R.I.K.E.®

Mounting Kit

15DE00BK-PACK = Plain, with Backpack

Mounting Kit



Backpack Mounting Kit



S.T.R.I.K.E.® Mounting Kit

**BLACKHAWK!™ DYNAMIC ENTRY®
SPECIAL OPERATIONS ENTRY RAM™**

PATENTED


The patented Special Operations Entry Ram answers all of the requests and suggestions from operators in the field for a compact yet powerful tactical entry ram

- Electrically nonconductive, non-sparking construction
- Ergonomic control-flex handle system reduces impact stress
- Operator-friendly, ambidextrous handle orientation
- Can be used by either one or two operators
- Forward-weighted design is a close-quarter alternative to the MonoShock Ram™

Specifications:

- Length: 25"
- Weight: 30 lbs.

DE-SOER



The revolutionary ambidextrous design of the Special Operations Entry Ram™ features one lead handle and two opposing side handles, allowing for multiple grip configurations to help meet mission specific requirements.

youtube.com/vbpggear



youtube.com/bpgegear



A BLACKHAWK!™ DYNAMIC ENTRY® ACTIVE SHOOTER HALLAGAN TOOL

Designed with active-shooter callouts in mind, the Active Shooter Hallagan Tool's wedge features counter-angled friction ridges to help prevent tool slippage, grip breaching surfaces securely, and increase bite when breaching even the most robust doors like those found in government and school facilities.

- Non-sparking fork end
- Redesigned, tempered stainless steel wedge and horn
- Counter-angled friction ridges provide stability and prevent tool slippage
- Ergonomic handle reinforces proper hand placement
- Electrically nonconductive to 100,000 volts AC

Specifications:

- Weight: 7.5 lbs.
- Length: 24"

DE-ASHT

BLACKHAWK!™ DYNAMIC ENTRY® BREAK-N-RAKE™

Specifically engineered for window entries, the Break-N-Rake has been involved in successful tactical operations in both the U.S. and abroad. In addition to window entries, it is ideal for securing secondary breach locations and creating tactical distractions.

- Laser-cut hook and serrated blade constructed of military-grade steel
- Three 12" raking fins constructed of carbon steel and designed to clear away glass and other debris
- Reinforced hook effectively removes curtains, blinds, and other obstructions
- Electrically nonconductive D-handle system is resistant to 100,000 volts AC

BREAK-N-RAKE™

Specifications:

- Weight: 9.6 lbs.
- Length: 51"

DE-BR

SUPER BREAK-N-RAKE™

Specifications:

- Weight: 11 lbs.
- Length: 69"

DE-SBR



B BLACKHAWK!™ DYNAMIC ENTRY® MINI BREAK-N-RAKE™

Designed in conjunction with domestic and international operators, the Mini Break-N-Break is perfect for those close-quarter window entries where space is at a minimum.

- Compact, lightweight, and portable
- Electrically nonconductive D-handle system is resistant to 100,000 volts AC
- Can replace DE-SOHT in the Tactical Backpack Kit
- Easily fits the trunk of patrol or rescue vehicles

Specifications:

- Weight: 4.5 lbs.
- Length: 25"

DE-MBR





A BLACKHAWK!™ DYNAMIC ENTRY® TACTICAL BREACHING SAW

The 64" Tactical Breaching Saw keeps the operator at a safe distance while cutting inspection holes in false ceilings, breaching lightweight metal skins (such as those found on mobile homes), or when cutting through sheetrock and other light building materials

- High-carbon steel head with specifically positioned cutting teeth
- Sharpened edge and tip for chopping and cutting operations
- Sturdy sheath protects both the operator and the tool
- Electrically nonconductive D-handle system is resistant to 100,000 volts AC
- Available in Black and high-visibility Yellow

Specifications:

- Weight: 9.5 lbs.
- Length: 64"

DE-TBS Black
DE-TBSY Yellow



B BLACKHAWK!™ DYNAMIC ENTRY® MOBILE HOME DOOR BREACHER

Outward-opening mobile home doors have been a breacher's nightmare for years. But now, with the Mobile Home Door Breacher, breachers can safely and rapidly enter into outward-opening, metal-skin mobile home doors during tactical operations. The Mobile Home Door Breacher meets Dynamic Entry's legendary standards of excellence and is guaranteed to withstand years of use.

- D-handle system is electrically nonconductive to 100,000 volts AC
- Unique leverage orientation pulls locking mechanism free of doorjamb while opening the door
- Laser-cut, reinforced carbon-steel head

Specifications:

- Weight: 5.5 lbs.
- Length: 28.5"

DE-MHB

youtube.com/bpggear





BLACKHAWK!™ DYNAMIC ENTRY® BREACHING SLEDGES

The Breaching Sledges bring together the best of both worlds, combining the strike face of a sledge hammer with the prying wedge of a Hallagan Tool.

- Micro-metal composition for added strength and reduced spalling when struck together
- Electrically nonconductive fiberglass handle is resistant to 100,000 volts AC
- Sure-grip handle system reduces the chance of slippage during operations
- Also available in a larger version, the Super Breaching Sledge™

A SUPER BREACHING SLEDGE

Specifications:

- Weight: 12 lbs.
- Length: 32"

DE-SBS

Black

B BREACHING SLEDGE

Specifications:

- Weight: 11.5 lbs.
- Length: 22.5"

DE-BS

Black

NSN# 5120-01-554-2827



NEW! BLACKHAWK!™ DYNAMIC ENTRY® MINI BREACHING SLEDGES

Featuring a redesigned and more compact breaching head for improved maneuverability, the new Mini Breaching Sledge offers the same functionality of the larger Breaching Sledges in a smaller and more balanced package.

- Micro-metal composition for added strength and reduced spalling when struck by another Breaching Sledge
- Electrically nonconductive fiberglass handle is resistant to 100,000 volts AC
- Sure-grip handle system reduces the chance of slippage during operations
- Friction ridges on the wedge for added grip and stability during breaching
- Available in Black and high-visibility Yellow

Specifications:

- Weight: 8 lbs.
- Length: 22"

DE-MBS

Black

DE-MBSY

Yellow

BLACKHAWK!™ DYNAMIC ENTRY® BREACHER SERIES

Designed for close-quarter breaching situations, these heavy-duty yet lightweight hallagan-style breaching tools are more robust than our standard non-sparking Hallagans.

- Tempered stainless steel wedge with counter-angled friction ridges designed specifically to grip breaching surfaces securely and provide stability
- Ergonomic handle is electrically nonconductive to 100,000 volts AC
- Safety-guard handgrips reduce the possibility of operator's hands slipping into the working end of the tool
- Available in Black and high-visibility Yellow
- Available in three sizes

A MINI BREACHER

Specifications:

- Weight: 4.7 lbs.
- Length: 14.25"

DE-MB Black
DE-MBY Silver

C THE BREACHER

Specifications:

- Weight: 6 lbs.
- Length: 30"

DE-TB Black
DE-TBY Yellow

B SPECIAL OPERATIONS BREACHER

Specifications:

- Weight: 5.9 lbs.
- Length: 24"

DE-SOB Black
DE-SOBY Yellow



youtube.com/bpggear

YouTube



BLACKHAWK!™ DYNAMIC ENTRY® CQB RAM™

When door-breaching speed is required for lightweight exterior and most interior doors, the CQB is the ram of choice.

- Oversized control-flex handle system keeps breachers outside the "fatal funnel" even in cramped areas
- Non-sparking and electrically nonconductive to 100,000 volts AC

Specifications:

- Weight: 23 lbs.
- Length: 20"

DE-CQB
NSN# 4210-01-522-1018

youtube.com/bpggear

YouTube



BLACKHAWK!™ DYNAMIC ENTRY® MONOSHOCK RAM™

The flagship of the Dynamic Entry tool line, our MonoShock Ram™ is the expert breacher's entry ram of choice.

- Non-sparking, electrically nonconductive construction aids in safe operations
- Ergonomic control-flex handle system reduces impact stress
- Includes a padded quick-release sling

Specifications:

- Weight: 32 lbs.
- Length: 31.5"

DE-MS
NSN# 4210-01-517-7055



BLACKHAWK!™ DYNAMIC ENTRY® DYNAMIC DUO™

The durable, easily deployable Dynamic Duo™ can be used in the majority of breaching situations and includes the ThunderSledge™, the Breacher™, and the Dynamic Duo Quiver.

- The Breacher™ has a tempered stainless steel wedge with counter-angled friction ridges designed specifically to grip breaching surfaces securely and provide stability
- The ThunderSledge™ utilizes the Sure-grip handle system that reduces slippage during operations
- Both tools are electrically nonconductive to 100,000 volts AC
- The Dynamic Duo Quiver has quick-release straps that allow for immediate "dumping" and rapid deployment
- Also available in a lighter and more compact version, the Mini Dynamic Duo

BUY THIS KIT AND SAVE OVER \$30!

Specifications:

- Weight: 18 lbs.
- Length: 32"

A DE-DDQ Dynamic Duo Quiver™

B DE-TS ThunderSledge™

C DE-TB The Breacher™

DE-DD Dynamic Duo Kit (complete)



NEW! Mini Dynamic Duo

Specifications:

- Weight: 13 lbs.
- Length: 23"

DE-MDD

BLACKHAWK!™ DYNAMIC ENTRY® THUNDERSLEDGE SERIES™

The revolutionary ThunderSledge tools exceed Dynamic Entry's high durability standards and are an essential supplement to any breaching kit.

- Handle system is electrically nonconductive to 100,000 volts AC
- Sure-grip handle system reduces the possibility of the tool slipping out of the operator's hands



youtube.com/hpbgear



H BLACKHAWK!™ DYNAMIC ENTRY® THUNDERMAUL™

The ergonomically designed ThunderMaul incorporates an axe and sledge into one compact tool for diverse entry functions.

- Drop-forged, heat-treated carbon-steel striking head
- Nick-resistant, tempered blade
- Sure-grip handle system reduces slippage during operations and is electrically nonconductive to 100,000 volts AC

Specifications:

- Weight: 7.5 lbs.
- Length: 21.5"

DE-TM

NSN# 4210-01-532-4603

DE-TMY



D MICRO THUNDERSLEDGE™

Specifications:

- Weight: 4.6 lbs.
- Length: 14"

DE-MCR

E MINI THUNDERSLEDGE™

Now available in Black or high-visibility Yellow

Specifications:

- Weight: 7.5 lbs.
- Length: 22"

DE-MTS Black

NSN# 5120-01-554-2847

DE-MTSY Yellow

F THUNDERSLEDGE™

Specifications:

- Weight: 12 lbs.
- Length: 32"

DE-TS

NSN# 5120-01-554-2857



BLACKHAWK!™ DYNAMIC ENTRY® THOR'S HAMMER™

Since its introduction to the tactical entry tool arena, the Thor's Hammer has earned a solid reputation as one of the most versatile tools among standard battering ram designs. After-action reports have shown the Thor's Hammer to be effective on lightweight exterior and most interior doors.

- Sure-grip handle system reduces the possibility of the tool slipping out of the operator's hands
- Operator-friendly design allows it to be swung outside the "fatal funnel"
- Includes ergonomically designed pack which features an extended pouch design that wraps around the operator's body for a close fit

Specifications:

- Weight: 15.4 lbs.
- Length: 24"

DE-TH



youtube.com/bpggear

YouTube



BLACKHAWK!™ DYNAMIC ENTRY® TACTICAL FENCE CLIMBERS

Through rigorous research and development, the Dynamic Entry design team has created a laser-cut fence climber that is lighter, more compact, and easier to deploy than our original design. The Tactical Fence Climbers provide a scaling rung on both sides of the fence for easy and rapid egress.

- Lightweight design and construction
- Folds up for easy storage

Specifications:

- Weight: 5.2 lbs.

DE-TFC (set of 4)



youtube.com/bpggear

YouTube



BLACKHAWK!™ DYNAMIC ENTRY® TWIN TURBO™

This two-man entry ram features the identical manufacturing standards of our legendary MonoShock Ram™.

- Non-sparking, electrically nonconductive construction aids in safe operations
- Control-flex handle system reduces impact stress
- Padded quick release sling included

Specifications:

- Weight: 41.5 lbs.
- Length: 40"

DE-TT

NSN# 4210-01-517-7054



BLACKHAWK!™ DYNAMIC ENTRY® BOLTMASTERS™

The heat-treated cutting edges of the BoltMaster series are the finest available anywhere. Lightweight and durable, each tool's head features a tension adjustment that allows precision tuning for maximum cutting effectiveness.

- Heat-treated cutting edges
- Black or high-visibility yellow fiberglass handle system is electrically nonconductive to 100,000 volts AC
- Safety-guard handgrip reduces the possibility of operator's hands slipping onto working end of tool
- For use on security chains, chain link fences, and non-case-hardened locks
- Available in Black and high-visibility Yellow

A MINI BOLTMASTER™

Specifications:

- Weight: 5.15 lbs.
- Length: 18"
- Jaw opening: 3/8"

DE-MBM Black
DE-MBY Yellow



B BOLTMASTER™

Specifications:

- Weight: 5.75 lbs.
- Length: 24"
- Jaw opening: 3/8"

DE-BM Black
NSN# 5110-01-534-0120
DE-BMY Yellow

[youtube.com/bpggear](https://www.youtube.com/bpggear)



C SUPER BOLTMASTER™

Specifications:

- Weight: 8 lbs.
- Length: 30"
- Jaw opening: 7/16"

DE-SBM Black
NSN# 5110-01-532-4999
DE-SBY Yellow



ENTRY TOOLS



BLACKHAWK!™ DYNAMIC ENTRY® PADLOCK BUSTER

Designed for situations where the BoltMaster™ is not recommended, the Padlock Buster is stunningly effective in defeating case-hardened padlocks. It's the perfect complement to any team's tactical toolbox.

- Classic duckbill design for use on a wide variety of padlock sizes
- Constructed of military-grade AR400 steel
- Electrically nonconductive handle system is resistant to 100,000 volts AC

Specifications:

- Weight: 6.3 lbs.
- Length: 24.25"

DE-PB



WWW.BLACKHAWK.COM

800.694.5263

BLACKHAWK!™ DYNAMIC ENTRY® NON-SPARKING, ELECTRICALLY NONCONDUCTIVE HALLAGAN TOOLS

Designed specifically for potentially volatile environments, this tool line features a composite construction that won't spark during prying operations or when struck.

- Non-sparking and electrically nonconductive to 100,000 volts AC
- Fork and horn end for prying and breaching
- Ergonomic handle reinforces proper hand placement
- In conjunction with any of the ThunderSledge™ series, the horn is effective for breaching padlocks

NOTE: The non-sparking alloy used in these tools is not intended for use on steel doors and frames. If breaching steel doors, Dynamic Entry® recommends using one of our stainless steel tools such as the Stainless Hallagan Tool™.

A SPECIAL OPERATIONS HALLAGAN TOOL

Specifications:

- Weight: 7.5 lbs.
- Length: 24"

DE-SOHT

NSN# 5120-01-507-1498

[youtube.com/bpggear](https://www.youtube.com/bpggear)




B HALLAGAN TOOL

Specifications:

- Weight: 8 lbs.
- Length: 29.5"

DE-HT



C GORILLA BAR

Specifications:

- Weight: 17.5 lbs.
- Length: 40"

DE-GB



D BLACKHAWK!™ DYNAMIC ENTRY® U.K. HALLAGAN TOOL

Featuring a unique glass-buster head for "break and rake" operations, the U.K. Hallagan Tool also utilizes the newly redesigned, tempered stainless steel wedge with friction ridges on all contact surfaces.

- Tempered stainless steel wedge with counter-angled friction ridges provide stability and prevent tool slippage
- Counter-angled friction ridges are specifically designed to grip breaching surfaces securely and provide stability during operations
- Electrically nonconductive to 100,000 volts AC
- Safety-guard handgrip reduces the possibility of operator's hands slipping onto working end of tool


Specifications:

- Weight: 7.5 lbs.
- Length: 32.5"
- Wedge: 2" x 4"

DE-UKHT

NSN# 4210-01-517-7056

[youtube.com/bpggear](https://www.youtube.com/bpggear)



BLACKHAWK!™ DYNAMIC ENTRY® STAINLESS HALLAGAN TOOL SERIES

The hallagan tool has been a standard entry tool for law enforcement and fire and rescue professionals for nearly 75 years. Using recommendations from operators in the field, Dynamic Entry's design team has taken this classic design and modernized it for the 21st century.

- Newly redesigned, tempered stainless steel wedge
- Counter-angled friction ridges on all contact surfaces provide stability and prevent tool slippage
- Handle system is electrically nonconductive to 100,000 volts AC
- Safety-guard handgrip reduces the possibility of operator's hands slipping onto working end of tool
- Available in Black and high-visibility Yellow
- The Special Operations Stainless Hallagan Tool™ is available in Black only

A SPECIAL OPERATIONS STAINLESS HALLAGAN TOOL – BLACK**Specifications:**

- Weight: 8 lbs.
- Length: 24"

DE-SOSHT**B STAINLESS HALLAGAN TOOL – BLACK****Specifications:**

- Weight: 8 lbs.
- Length: 31"

DE-SHTB **Black**
NSN# 5120-01-554-3768

C STAINLESS HALLAGAN TOOL – YELLOW**Specifications:**

- Weight: 8 lbs.
- Length: 31"

DE-SHTY **Yellow**


**BLACKHAWK!™ DYNAMIC ENTRY® CLASSIC HALLAGAN TOOL**

Known the world over for our unique hallagan tool designs, Dynamic Entry is proud to introduce the Classic Hallagan Tool. This is a traditional design in the mold of the original hallagan tools used early in the 20th century. Strong and lightweight, the Classic Hallagan Tool meets and exceeds the needs of today's fire/rescue professionals.

- One-piece and drop-forged from robust alloy steel
- Made to exacting standards in the USA
- Forged-in sling attachments
- Sling with horn-protecting cover included

Specifications:

Weight: 10 lbs.
 Length: 30"
 Horn: 4.25"

DE-CHT30



BLACKHAWK!™ DYNAMIC ENTRY® SUPER PULASKI TOOL

Designed for professionals by professionals, our Super Pulaski Tool is the long-awaited answer for the needs of the 21st century.

- Solid piece, drop-forged high carbon steel construction
- Redesigned, expanded grubbing end for increased digging and grubbing effectiveness
- High-visibility yellow, polypropylene-jacketed fiberglass handle is electrically nonconductive to 100,000 volts AC
- Balanced for optimum effectiveness

Specifications:

- Weight: 7.5 lbs.
- Length: 34.25"
- Cutting edges: 5" (hoe); 4.5" (axe)

WF-SPT

BLACKHAWK!™ DYNAMIC ENTRY® SINGLE BIT AXE

Designed as a fast-working tool in cramped environments, this precision-balanced axe features a 19.5" high-visibility yellow fiberglass handle, 2-lb. head with a 4" cutting edge.

Specifications:

- Weight: 4.5 lbs.
- Length: 22.5"

WF-SBA

BLACKHAWK!™ DYNAMIC ENTRY® DE 9-11 SERIES RESCUE AXES

Developed with Dynamic Entry's legendary standard of excellence, the DE 9-11 Series Rescue Axes are available in both Red and high-visibility Yellow.

- Fiberglass handles are electrically nonconductive to 100,000 volts AC
- Drop-forged, heat-treated carbon steel heads

6 LB. PIKE AXE

Specifications:

- Weight: 8 lbs.
- Length: 37"

- A** DE-AY6P Yellow
- DE-AR6P Red

8 LB. PIKE AXE

Specifications:

- Weight: 10 lbs.
- Length: 37"

- B** DE-AY8P Yellow
- DE-AR8P Red

6 LB. FLAT AXE

Specifications:

- Weight: 8 lbs.
- Length: 37"

- C** DE-AY6F Yellow
- DE-AR6F Red



BLACKHAWK!™ DYNAMIC ENTRY® BACKPACKS

youtube.com/bpggear



Tactical Backpack Series

Since its introduction, Dynamic Entry's Tactical Backpack Series has been the standard for law enforcement and military agencies worldwide. From the original Tactical Backpack Kit™ to our Modular

Backpack™, Dynamic Entry provides operators in the field with mission-specific tooling options to best meet their tactical entry needs.

BLACKHAWK!™ DYNAMIC ENTRY® TACTICAL BACKPACK KIT

The standard for most breaching operations, the Tactical Backpack Kit features the following:

DE-BM	BoltMaster™
DE-TM	ThunderMaul™
DE-SOHT	Special Operations Hallagan Tool™
60ME00BK	Manual Entry Tool Pack™
DE-TBK	Tactical Backpack Kit (complete)



BLACKHAWK!™ DYNAMIC ENTRY® TACTICAL BACKPACK KIT-B

Quickly becoming the new standard, the Tactical Backpack Kit-B comes complete with the BoltMaster™, ThunderMaul™, Special Operations Breacher™, and Manual Entry Tool Pack™.

DE-BM	BoltMaster™
DE-TM	ThunderMaul™
DE-SOB	Special Operations Breacher™
60ME00BK	Manual Entry Tool Pack™
DE-TBK-B	Tactical Backpack Kit-B (complete)



BLACKHAWK!™ DYNAMIC ENTRY® TACTICAL BACKPACK KIT-C

Designed specifically to meet active-shooter callouts, the Tactical Backpack Kit-C includes the BoltMaster™, ThunderMaul™, Active Shooter Hallagan Tool™, and Manual Entry Tool Pack™.

DE-BM	BoltMaster™
DE-TM	ThunderMaul™
DE-ASHT	Active Shooter Hallagan Tool™
60ME00BK	Manual Entry Tool Pack™
DE-TBK-C	Tactical Backpack Kit C (complete)



A specialized horn protector holds the tapered horn in place against the pack while still allowing for rapid and easy tool deployment.



The Active Shooter Hallagan Tool™ (DE-ASHT) features both a non-sparking fork end and a more robust stainless steel prying wedge and horn for added versatility.

Constructed of 1000 denier nylon and heavily padded with closed-cell foam, the Tactical Backpack Kit-C™ pack is durable and reliable even in the most extreme conditions.

BLACKHAWK!™ DYNAMIC ENTRY® BACKPACKS

BLACKHAWK!™ DYNAMIC ENTRY® U.K. M.O.E.™ BACKPACK KIT

Designed for Special Forces units worldwide, our U.K. M.O.E. Backpack Kit is the tactical entry kit of choice for most reinforced breaching operations. This exclusive kit features the CQB Ram™, Super BoltMaster™, U.K. Hallagan Tool™, and U.K. M.O.E. Tool Pack™.

DE-SBM	Super BoltMaster™
DE-CQB	CQB Ram™
DE-UKHT	U.K. Hallagan Tool
990662BK	U.K. M.O.E.™ Tool Pack
DE-UKMOEK	U.K. M.O.E.™ Backpack Kit (complete)

NSN# 8465-01-563-3974



BLACKHAWK!™ DYNAMIC ENTRY® U.K. M.O.E.™ TOOL PACK (PACK ONLY)

The U.K. M.O.E.™ Tool Pack was designed for elite Special Forces to provide tool security during extreme maneuvers such as running, climbing, or rappelling.

- Two large retention flaps
- Fully adjustable shoulder, waist, and under-the-leg straps keep pack anchored to operator's body

Specifications:

- Weight: 2 lbs.

990662BK

BLACKHAWK!™ DYNAMIC ENTRY® MANUAL ENTRY TOOL PACK (PACK ONLY)

The Manual Entry Tool Pack is designed to carry the Special Operations Hallagan Tool or Special Operations Breacher, the ThunderMaul™ or Mini ThunderSledge™, and the BoltMaster™.

- Constructed of 1000 denier nylon
- Heavily padded with closed-cell foam
- Individual pouches
- Retention straps hold tools securely
- Fully adjustable chest and waist straps

Specifications:

- Weight: 2 lbs.

60ME00BK

NSN# 8465-01-533-5371



BLACKHAWK!™ DYNAMIC ENTRY® MODULAR BACKPACK (PACK ONLY)

The Modular Backpack integrates S.T.R.I.K.E.® webbing, our patent-pending Speed Clip™ devices, and Dynamic Entry's Modular Attachment System to provide a fully customizable entry tool platform.

- Constructed of lightweight yet durable 1000 denier nylon
- Lumbar padding and wide shoulder straps deliver maximum comfort
- Large, tear-resistant, Kydex®-lined tool pouch with reinforced drain holes
- Modular retention straps allow for quick and secure mission-specific tool configurations
- An assortment of various-sized modular retention straps are included

Specifications:

- Weight: 2 lbs.

youtube.com/hpggear



DE-MBP



The Modular Backpack, a fully customizable and MOLLE compatible entry tool platform, will store easily in the trunk of a patrol car and is **ideal for active-shooter callouts.**





BLACKHAWK!™ DYNAMIC ENTRY® MINI DEPLOYMENT BAG (BAG ONLY)


Designed to carry the Mini BoltMaster™, Mini Breacher, and Micro ThunderSledge™ at the ready, the Mini Deployment Bag can easily be stored in the trunk of patrol or rescue vehicles.

- Shoulder strap with quick-release buckles for ambidextrous carry
- Thigh straps for added stability during extreme body movements
- Two multipurpose side pockets
- Internal compartments keep tools secure and reduce noise signature
- Heavy-duty drag handle

60ME03BK
Weight: 2 lbs.



MINI BOLTMASTER POUCH
5100880BK



SINGLE TOOL CARRIER
5100856BK

BLACKHAWK!™ DYNAMIC ENTRY® MINI TOOL KIT

To fulfill requests for a lighter, tougher tactical entry kit, the Dynamic Entry design team created the Mini Tool Kit which includes the Mini BoltMaster™, Mini Breacher, and Micro ThunderSledge™. The Mini BoltMaster comes complete with the Mini BoltMaster Pouch while both the Mini Breacher and Micro ThunderSledge come with the MOLLE Single Tool Carrier.

BUY THIS KIT AND SAVE OVER \$30!

A DE-MB	Mini Breacher
B DE-MCR	Micro ThunderSledge™
C DE-MBM	Mini BoltMaster™
DE-MTK	Mini Tool Kit

INDIVIDUAL POUCHES
INCLUDED



A



B



C

BLACKHAWK!™ DYNAMIC ENTRY® MINI DEPLOYMENT KIT™

As active-shooter callouts become more complex in nature, mission requirements led our research team to develop the Mini Deployment Bag™ to meet these ever-changing requirements. Featuring individual tool compartments for reduced noise signature and secure carry, this kit also includes quick-release buckles for immediate dumping of the kit if necessary. It comes complete with the Mini BoltMaster™, Mini Breacher™, and Micro ThunderSledge™ and can easily be stored in the trunk of patrol or rescue vehicles.

BUY THIS KIT AND SAVE OVER \$30!

A DE-MB	Mini Breacher
B DE-MCR	Micro Thundersledge™
C DE-MBM	Mini Boltmaster™
60ME03BK	Mini Deployment Bag
DE-MDK	Mini Deployment Kit



DYNAMIC ENTRY® TACTICAL ENTRY KITS

BUY ANY KIT AND SAVE 10% OFF MSRP

THESE TACTICAL ENTRY KITS OFFER CONVENIENT OPTIONS AND ARE DESIGNED TO MEET ALL YOUR TACTICAL ENTRY TOOLING NEEDS:

ENTRY TOOLS

BLACKHAWK!™ DYNAMIC ENTRY® ENTRY KIT #1

The Tactical Entry Kit #1 is the perfect kit for standard tactical entries, featuring the MonoShock Ram™ and Dynamic Duo™.

Entry Kit #1 features:

A DE-MS MonoShock Ram™

B DE-DD Dynamic Duo™

DE-EK1 Entry Kit #1 (complete)



BLACKHAWK!™ DYNAMIC ENTRY® ENTRY KIT #2

The Tactical Entry Kit #2 combines the MonoShock Ram™ and Break-N-Rake™ with the Tactical Backpack Kit-B to create the perfect kit for more challenging entries.

Entry Kit #2 features:

A DE-MS MonoShock Ram™

D DE-BR Break-N-Rake™

F DE-TBK-B Tactical Backpack Kit B

(incl. DE-SOB, DE-TM, DE-BM and 60ME00BK)

DE-EK2 Entry Kit #2 (complete)

[youtube.com/bpggear](https://www.youtube.com/bpggear)

YouTube



BLACKHAWK!™ DYNAMIC ENTRY® ENTRY KIT #3

Bringing together the best Dynamic Entry has to offer, the Tactical Entry Kit #3 features the MonoShock Ram™, Tactical Backpack Kit-B™, and Break-N-Rake™ for less-than-conventional tactical entries. The kit also features the revolutionary Mobile Home Door Breacher™ and Dynamic Duo™. With this kit, Nothing Shall Stand in Your Way®.

Entry Kit #3 features:

A DE-MS MonoShock Ram™

B DE-DD Dynamic Duo™

(incl. DE-TS, DE-TB and Dynamic Duo Quiver™)

C DE-BR Break-N-Rake™

E DE-MHB Mobile Home Door Breacher

F DE-TBK-B Tactical Backpack Kit-B

(incl. DE-SOB, DE-TM, DE-BM and 60ME00BK)

DE-EK3 Entry Kit #3 (complete)



WWW.BLACKHAWK.COM

800.694.5263

87